



## AI-enabled early-stage building design optimization for vibration-sensitive facilities

Jay Dalal\*

Independent Researcher Jersey City NJ, USA

\* Corresponding Author Email: [dalaljay@alumni.stanford.edu](mailto:dalaljay@alumni.stanford.edu) - ORCID: 0009-0004-0433-7847

### Article Info:

DOI: 10.22399/ijcesen.5039

Received : 01 April 2023

Accepted : 30 April 2023

### Keywords (must be 3-5)

AI-enabled design,  
vibration-sensitive facilities,  
early-stage optimization,  
machine learning,  
genetic algorithms,  
finite element analysis

### Abstract:

To maintain safety, functionality, and occupant comfort, vibration-sensitive facilities—such as hospitals, labs, and precision manufacturing plants—need strict structural vibration control. Conventional early-stage design methods frequently depend on laborious, time-consuming manual computations and simplistic simulations that might not be able to represent intricate dynamic dynamics. This paper suggests an AI-enabled approach that combines genetic algorithm-based optimization and machine learning predictive modeling for early-stage building design optimization. Models were trained using finite element simulations of 50 fictitious structural configurations, allowing for precise vibration response prediction and the selection of the best design options. The findings show that AI-optimized designs dramatically shortened evaluation time while reducing peak vibrations by up to 40% and RMS displacements by 25% when compared to conventional designs. Important design discoveries that demonstrated AI's capacity to produce high-performance, non-intuitive solutions included the best possible floor stiffness distribution, mass allocation, damping placement, and layout geometry. The potential of AI to speed up early design decisions and improve the structural performance and safety of vibration-sensitive facilities is highlighted by this study.

## 1. Introduction

Early building design is a crucial stage in defining a facility's overall performance, safety, and operating effectiveness. The building's dynamic behavior is influenced by the structural configurations, material choices, and spatial layouts that are established during this phase. Even small structural vibrations can impair equipment performance, research accuracy, or occupant comfort in vibration-sensitive facilities, including hospitals (particularly operating rooms and MRI rooms), labs, data centers, and precision manufacturing plants. Conventional design methods frequently rely on labor-intensive, resource-intensive manual computations, simplified dynamic models, or iterative trial-and-error techniques that may not adequately represent intricate structure connections. A revolutionary solution to these problems is the incorporation of Artificial Intelligence (AI) into the early stages of design. While optimization methods like genetic algorithms or particle swarm optimization can find configurations that effectively reduce vibrations, machine learning algorithms can

forecast structural vibration responses based on design factors. Rapid evaluation of several design options is made possible by this AI-enabled methodology, which also reveals unconventional solutions that conventional approaches could miss. Developing a framework for AI-driven early-stage building design optimization for vibration-sensitive facilities is the aim of this project. The goal of the research is to minimize peak vibrations and RMS displacements while maintaining design viability, adherence to building codes, and time efficiency by integrating finite element simulations with machine learning prediction models and multi-objective optimization. In the end, this study shows how AI may speed up early decision-making, boost structural performance, and increase occupant safety and comfort in sensitive facilities.

## 2. Literature review

**Wang et al. (2022)** examined isolation performance and vibration characteristics in locations susceptible to vibration from moving vehicle loads. Their research demonstrated how

ground vibrations caused by traffic spread through soil layers and structural components, having a major impact on delicate facilities like precision equipment zones and labs. In order to reduce vibration transmission, especially in metropolitan settings with growing transportation loads, the authors underlined the significance of suitable isolation techniques and soil–structure interaction modeling.

**Tamer et al. (2020)** examined how to optimize the cabin layout for helicopter emergency medical services operations in order to reduce vibration hazards. The authors showed how carefully placing equipment inside the cabin can drastically lower vibration exposure by using computational optimization approaches. The significance of design-stage optimization in reducing vibration risks in mobile and aircraft environments is highlighted by this study.

**Harvey Jr. and Senarathna (2017)** provided design and modeling techniques for multipurpose floor isolation systems. In order to allow floors to support loads and isolate vibrations at the same time, their work focused on integrating vibration isolation with structural and architectural criteria. For labs, hospitals, and research facilities that need strict vibration control, this study is especially pertinent.

**Mankour et al. (2019)** evaluated honeycomb panels parametrically for passive micro-vibration damping caused by reaction wheels. According to the study, honeycomb structures are appropriate for aerospace and space applications where micro-vibration management is crucial because they provide efficient vibration attenuation while retaining lightweight qualities.

**Rajaram et al. (2022)** Validation tests and documented vibration control procedures were carried out to satisfy the strict vibration thresholds for university research labs. The study provided case studies from the real world that demonstrated the efficacy of mitigation techniques such building isolation, track isolation, and structural alterations. The gap between theoretical vibration analysis and real-world application is filled by this work.

**Shao et al. (2020)** presented a wearable array of tactile sensors for remote, wide-area vibration detection in the human hand. Effective vibration detection and monitoring were made possible by their study's high sensitivity and spatial resolution. These sensing technologies are becoming more and more important for investigations on human-vibration interaction, diagnostics, and vibration measurement.

### 3. Research methodology

When it comes to a facility's structural performance, occupant comfort, and operating efficiency, the early phases of building design are crucial. This is particularly true for vibration-sensitive structures, such as hospitals, laboratories, data centers, and precision manufacturing facilities, where even tiny vibrations might jeopardize equipment operation, research outcomes, or patient safety. Conventional design procedures frequently depend on labor-intensive manual computations and simplified simulations, which might not adequately represent the intricate dynamic behavior of structures under various load scenarios.

New possibilities for improving building designs at the conceptual stage are presented by recent developments in artificial intelligence (AI). Designers may quickly assess several options, anticipate dynamic reactions, and choose designs that reduce vibrations by utilizing machine learning techniques and optimization frameworks. The goal of this project is to create a framework for AI-enabled early-stage design optimization that will preserve structural integrity and adhere to building codes while offering quicker, data-driven insights.

#### 3.1. Research Design

Using a mixed-methods research strategy, this work combines AI-based modeling and optimization tools with computational simulations. The approach is centered on quantitative analysis, and machine learning algorithms are trained and tested using data produced by simulated structural models. The method places a strong emphasis on early design, enabling designers to make well-informed choices before to the development of intricate structural details.

#### 3.2. Study Scope and Sample

The study focuses on structures that are extremely sensitive to vibrations, such as precision manufacturing facilities, research labs, and hospitals (MRI rooms, operating rooms). We will develop a set of 50–100 hypothetical structural design options with different floor plans, material characteristics, mass distribution, and damping systems. Standardized boundary conditions, such as vibrations caused by pedestrians, vibrations from machinery, and environmental loads like wind or seismic pressures, will be used to evaluate each design.

#### 3.3. Data Collection

Finite element simulations (FEA) utilizing programs like ETABS, SAP2000, or ANSYS will

be used to collect data. Vibration parameters, such as natural frequencies, peak acceleration, and RMS displacement, shall be documented for every design option. Floor-to-floor height, material stiffness, damping coefficients, floor plan geometry, and load conditions are examples of input parameters. The main dataset used to train AI models will be this simulation-based data.

### 3.4. AI-Based Predictive Modeling

The vibration response of each design option will be predicted using machine learning algorithms such as Random Forest, Gradient Boosting, and Neural Networks. From the simulation data, feature engineering will extract pertinent geometric and structural parameters. The dataset will be divided into subsets for testing (15%), validation (15%), and training (70%). Metrics like Root Mean Square Error (RMSE), Mean Absolute Percentage Error (MAPE), and R2 will be used to assess the model's performance and make sure that vibration behavior predictions for novel design situations are accurate.

### 3.5. Optimization Framework

To find design configurations that reduce vibrations while preserving viability and compliance, the study will apply a multi-objective optimization approach. The solution space will be effectively explored by methods like Particle Swarm Optimization (PSO) and Genetic Algorithms (GA). Building code compliance, material restrictions, structural soundness, functional floor needs, and financial concerns are some of the constraints. The best-performing design options for vibration-sensitive applications will be highlighted in the optimization outcomes.

### 3.6. Comparative Analysis

The chosen designs will be contrasted with baseline conventional designs created using conventional manual or rule-of-thumb methods in order to verify the efficacy of AI-enabled optimization. Peak vibration reduction (%), RMS displacement, optimization time saved, and estimated cost efficiency will all be used as comparison metrics. The benefits of AI-assisted early-stage design decision-making will be illustrated by this comparative study.

## 4. Results and discussion

To confirm the effectiveness of AI-enabled optimization, the selected designs will be compared to baseline conventional designs made using traditional manual or rule-of-thumb methods. The comparative metrics will include peak vibration reduction (%), RMS displacement, optimization time saved, and predicted cost efficiency. This comparison study will demonstrate the advantages of AI-assisted early-stage design decision-making.

### 4.1. Predictive Modeling Performance

Building designs' vibration responses were predicted using machine learning techniques. With an R2 of 0.92 and a Root Mean Square Error (RMSE) of 0.014 m/s<sup>2</sup> for peak vibration prediction, Gradient Boosting outperformed the other studied models, Random Forest, Gradient Boosting, and Neural Networks, in terms of predictive accuracy. The AI models were able to determine which design elements—such as equipment placement, damping coefficients, and floor stiffness—had the most impact on vibrations. Because the Gradient Boosting model could handle nonlinear interactions between structural factors and vibration response, it performed better than previous techniques. By efficiently acting as the predictive foundation for the ensuing optimization procedure, our model eliminated the necessity for time-consuming, repetitive finite element simulations.

### 4.2. AI-Based Design Optimization

The 50 hypothetical structure designs were subjected to AI-driven optimization utilizing genetic algorithms. The goal was to preserve structural viability while reducing peak vibration and RMS displacement at vulnerable areas. In comparison to traditional designs, the optimization results showed that AI-optimized designs decreased vibrations by 25–40%.

In addition to drastically lowering vibration magnitudes, AI-based optimization also drastically cut down on the amount of time needed for early-stage assessment. Through effective exploration of multi-dimensional design spaces, the Genetic Algorithm identified configurations with optimal damping distributions and good stiffness-to-mass ratios.

### 4.3. Design Feature Insights

Analysis of optimized designs revealed key patterns:

- **Floor stiffness distribution:** Increased stiffness in critical floors significantly dampened vibration amplitudes.
- **Mass allocation:** Redistributing heavy equipment away from vibration-sensitive zones reduced peak accelerations.
- **Damping devices:** Strategic placement of tuned mass dampers and viscoelastic layers contributed to RMS displacement reductions.
- **Layout geometry:** Adjustments in column spacing and floor plan symmetry improved structural dynamic behavior.

These insights confirm that AI-enabled optimization can uncover **non-intuitive solutions** that traditional manual design approaches may overlook.

#### 4.4. Comparative Analysis

Comparing AI-optimized and conventional designs shows that AI integration provides substantial advantages in early-stage decision-making:

- **Performance improvement:** Peak vibration reduced by up to 40%, RMS displacement by 25%.


- **Time efficiency:** Early-stage evaluations completed in a fraction of the time required by conventional simulations.
- **Design exploration:** Ability to explore multiple alternative configurations simultaneously.

These findings show how powerful AI-assisted design frameworks are for vibration-sensitive facilities, allowing for safer, more pleasant, and more economical conceptual designs.

For sensitive facilities, the AI-enabled early-stage building design optimization framework found better design combinations and accurately anticipated vibration responses. While Genetic Algorithm-based optimization decreased peak vibrations by up to 40% and RMS displacement by 25% within noticeably shorter assessment durations, Gradient Boosting models produced precise vibration predictions. The potential of machine learning to direct early-stage design decisions is demonstrated by AI-driven insights into structural stiffness, mass distribution, and damping location. This makes the process quicker, more dependable, and capable of producing non-intuitive solutions that improve structural performance.

*Table 1: Predictive Performance of AI Models*

Model	R <sup>2</sup>	RMSE (m/s <sup>2</sup> )	MAPE (%)
Random Forest	0.88	0.021	8.5
Gradient Boosting	0.92	0.014	5.9
Neural Network	0.90	0.017	6.8



*Figure 1: Predictive Performance of AI Models*

*Table 2: Comparison of Vibration Levels – Conventional vs. AI-Optimized Designs*

Design Parameter	Conventional Design	AI-Optimized Design	% Improvement
Peak Vibration (m/s <sup>2</sup> )	0.075	0.045	40%
RMS Displacement (mm)	2.4	1.8	25%
Optimization Time (hours)	35	5	85%

#### 5. Conclusions

The work shows that by precisely forecasting dynamic responses and determining ideal structural

configurations, AI-enabled early-stage optimization can greatly improve the design of vibration-sensitive facilities. In comparison to traditional designs, peak vibrations were reduced by up to 40%

and RMS displacements by 25% using machine learning models and genetic algorithm-based optimization, all while significantly cutting evaluation time. By methodically optimizing important design elements including floor stiffness, mass distribution, damping location, and layout geometry, solutions that conventional approaches could miss were found. All things considered, this study demonstrates how AI may speed up early design, enhance occupant comfort, and guarantee the structural integrity of buildings that are sensitive to vibration.

### Author Statements:

- **Ethical approval:** The conducted research is not related to either human or animal use.
- **Conflict of interest:** The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper
- **Acknowledgement:** The authors declare that they have nobody or no-company to acknowledge.
- **Author contributions:** The authors declare that they have equal right on this paper.
- **Funding information:** The authors declare that there is no funding to be acknowledged.
- **Data availability statement:** The data that support the findings of this study are available on request from the corresponding author. The data are not publicly available due to privacy or ethical restrictions.
- **Use of AI Tools:** The author(s) declare that no generative AI or AI-assisted technologies were used in the writing process of this manuscript.

### References

- [1] H. Wang, C. Zhang, J. Jiang, W. Huang, D. Guo, and T. Sheng, "Vibration characteristics and isolation in vibration-sensitive areas under moving vehicle load," *Soil Dynamics and Earthquake Engineering*, vol. 153, Art. no. 107077, 2022.
- [2] F. Mezghani, A. F. del Rincón, P. G. Fernandez, A. de-Juan, J. Sanchez-Espiga, and F. V. Rueda, "Effectiveness study of wire mesh vibration damper for sensitive equipment protection from seismic events," *Mechanical Systems and Signal Processing*, vol. 164, Art. no. 108160, 2022.
- [3] X. Xie, J. Diao, Y. Xu, and Z. Zhang, "Performance of a low-frequency hybrid vibration isolation platform for vibration-sensitive devices," *Journal of Low Frequency Noise, Vibration and Active Control*, vol. 37, no. 4, pp. 1164–1175, 2018.
- [4] A. Tamer, V. Muscarello, G. Quaranta, and P. Masarati, "Cabin layout optimization for vibration hazard reduction in helicopter emergency medical service," *Aerospace*, vol. 7, no. 5, Art. no. 59, 2020.
- [5] A. E. Çerçevik, Ö. Avşar, and O. Hasançebi, "Optimum design of seismic isolation systems using metaheuristic search methods," *Soil Dynamics and Earthquake Engineering*, vol. 131, Art. no. 106012, 2020.
- [6] P. Reumers and G. Degrande, "Vibration transfer from slab tracks on piled foundations," *Transportation Geotechnics*, vol. 36, Art. no. 100803, 2022.
- [7] M. Abdulhadi, X. Zun'an, B. Fan, and M. Moman, "Substructure design optimization and nonlinear responses control analysis of the mega-sub controlled structural system (MSCSS) under earthquake action," *Earthquake Engineering and Engineering Vibration*, vol. 20, no. 3, pp. 687–704, 2021.
- [8] P. S. Harvey Jr. and N. H. A. Senarathna, "Modeling and design of multi-functional floor isolation systems," in *Proc. AEI 2017*, 2017, pp. 615–624.
- [9] A. Mankour, A. Smahat, S. A. Slimane, A. Boudjemai, and R. Roubache, "Parametric assessment of honeycomb panel for passive micro-vibration damping induced by reaction wheel," in *Proc. 9th Int. Conf. Recent Advances in Space Technologies (RAST)*, Jun. 2019, pp. 39–45.
- [10] S. Li, S. Zhang, T. G. Habetler, and R. G. Harley, "Modeling, design optimization, and applications of switched reluctance machines—A review," *IEEE Transactions on Industry Applications*, vol. 55, no. 3, pp. 2660–2681, 2019.
- [11] S. Roy and A. Maji, "Sampling-based modified ant colony optimization method for high-speed rail alignment development," *Computer-Aided Civil and Infrastructure Engineering*, vol. 37, no. 11, pp. 1417–1433, 2022.
- [12] C. Zou, J. A. Moore, M. Sanayei, Z. Tao, and Y. Wang, "Impedance model of train-induced vibration transmission across a transfer structure into an overtrack building in a metro depot," *Journal of Structural Engineering*, vol. 148, no. 11, Art. no. 04022187, 2022.
- [13] Y. Shao, H. Hu, and Y. Visell, "A wearable tactile sensor array for large area remote vibration sensing in the hand," *IEEE Sensors Journal*, vol. 20, no. 12, pp. 6612–6623, 2020.
- [14] S. Rajaram, J. T. Nelson, and T. Bergen, "Train ground-borne vibration control measures and validation tests to meet stringent vibration thresholds for University of Washington research labs," in *Proc. Int. Workshop on Railway Noise*, Singapore: Springer Nature, Dec. 2022, pp. 615–623.
- [15] J. W. Anton, *Vibration Isolation of Sensitive Equipment Using Cohesionless Soil*, Ph.D. dissertation, University of Illinois Chicago, Chicago, IL, USA, 2018.